

[Home](#) [Index](#) [Resources](#) [Contact Us](#) [Internal Search](#)

[Patent Intranet > SIRA > SIRA > NPL Multi-Search](#)



Scientific and Technical Information Center



PATENTS INTRANET

[Home](#) [About Us](#) [Feedback](#) [Sitemap](#) [FAQs](#)

Search Go

[Refine Search](#) | [New Search](#)

[Help](#)

[Topics](#) [Data](#) [Journals](#) [Authors](#)

Sort By: [Date](#) | [Title](#) | [Author](#) | [Source](#)

Filter By: ☐ Full Text

Clustered Results

Results 1-9 of 9 returned for "any contains fluorine and target and tantalum and coolant" (45 total)

[All Dates](#)

[2000 and later \(9\)](#)

[1985 \(3\)](#)

[1973 \(9\)](#)

[Other \(7\)](#)

1

Results By Source

IEEE Electronic Library Online

(0)

NTIS (0)

ProQuest (2)

ProQuest Dissertations and

Theses (8)

ScienceDirect Journals (35)

Results in "1973" Cluster ([Clear Filter](#))

Select all records :: 0 selected records: Email or Export/Save

1. [Atomic absorption and fluorescence spectrometry with a carbon filament atom reservoir : Part XIII The determination of chromium with a fully enclosed atom reservoir](#)
K. W. Jackson; T. S. West; L. Balchin.
Analytica Chimica Acta
1973. Vol.64,Iss.3;p.363
Source: [ScienceDirect Journals](#)
[Show In Clusters](#)
[STIC Full Text Retrieval Options](#)

2. [Atomic absorption inhibition titration of orthophosphate and polyphosphates](#)
W. E. Crawford; C. I. Lin; C. O. Huber.
Analytica Chimica Acta
1973. Vol.64,Iss.3;p.387
Source: [ScienceDirect Journals](#)
[Show In Clusters](#)
[STIC Full Text Retrieval Options](#)

3. [The calibration and response of ion-selective electrodes at low concentrations of primary ions](#)
P. L. Bailey; E. Pungor.
Analytica Chimica Acta
1973. Vol.64,Iss.3;p.423
Source: [ScienceDirect Journals](#)
[Show In Clusters](#)
[STIC Full Text Retrieval Options](#)

4. [The determination of molybdenum in sea water by hot graphite atomic absorption spectrometry after concentration on p-aminobenzylicellulose or chitosan](#)
Riccardo A.A. Muzzarelli; Roberto Rocchetti.
Analytica Chimica Acta
1973. Vol.64,Iss.3;p.371
Source: [ScienceDirect Journals](#)
[Show In Clusters](#)

STIC Full Text Retrieval Options

5. Flameless atomic absorption spectrometry of antimony
 Masaaki Yanagisawa; Tsugio Takeuchi; Masami Suzuki.
Analytica Chimica Acta
 1973. Vol.64,Iss.3;p.381
 Source: [ScienceDirect Journals](#)
[Show In Clusters](#)
[STIC Full Text Retrieval Options](#)
6. Ion-selective carbon-paste electrodes for halides and silver (II) ions
 E. A. M. F. Dahmen.
Analytica Chimica Acta
 1973. Vol.64,Iss.3;p.431
 Source: [ScienceDirect Journals](#)
[Show In Clusters](#)
[STIC Full Text Retrieval Options](#)
7. Potentiometric studies on thioacetamide by means of a sulphide ion-selective membrane electrode
 M. K. Pápay; K. Tóth; V. Izvekov; E. Pungor.
Analytica Chimica Acta
 1973. Vol.64,Iss.3;p.409
 Source: [ScienceDirect Journals](#)
[Show In Clusters](#)
[STIC Full Text Retrieval Options](#)
8. Recent results on the dynamic response of precipitate-based ion-selective electrodes
 K. Tóth; E. Pungor.
Analytica Chimica Acta
 1973. Vol.64,Iss.3;p.417
 Source: [ScienceDirect Journals](#)
[Show In Clusters](#)
[STIC Full Text Retrieval Options](#)
9. Titrage potentiometrique des thiols en milieu organique a l'aide d'une electrode a monocristal de sulfure d'argent : Comparaison avec une electrode argent-sulfure d'argent classique
 Francis Peter; Robert Rosset.
Analytica Chimica Acta
 1973. Vol.64,Iss.3;p.397
 Source: [ScienceDirect Journals](#)
[Show In Clusters](#)
[STIC Full Text Retrieval Options](#)

*Missing
 check box
 indicates
 resource
 temporarily
 unavailable.

Please obey
 MPEP
 Section
 804.02 (c):
 Internet
 Searching
 (ISJ) and
 USPTO
 Rules of the
 Board (PDE
 Doc) when
 using
 Internet
 resources.
 If you cannot
 access a file
 because of a
 missing or
 non-working
 plugin,
 please
 contact the
 Help Desk at
 8-5000 for
 evaluation
 assistance.

[Intranet](#)
[Home](#)
[Index](#)